

Home Inspection Tools



Digital Camera

Photographic evidence of inspection findings proves to be invaluable.



Tablet PC

More than unwired, more than mobile, you now have the means to write and roam wherever you choose. Excellent tool for producing Inspection Reports on site.



Outlet Circuit Tester

Plug it in, and the indicator lights warn you against faulty wiring. Press button to trip and test GFI.



Laser Thermometer

Infrared (IR) thermometers have become the preferred tool for temperature measurements and inspection. Use this Extech non-contact infrared thermometer to quickly measure surface temps of areas which are hard-to-reach or unsafe to touch, and locate hot spots in electrical panels and equipment.



Moisture Detector

Moisture test contact probes are at the end of a 3 foot coiled cable for detecting moisture in difficult to reach locations. The 10 point scale corresponds to moisture levels from 10-28%. Scale and reference chart correlate relative and moisture percentage readings.

Moisture Encounter



This futuristic moisture meter is the ultimate investigative tool for detecting moisture on or beneath various surfaces! No more unnecessary holes made by metal probes. Electric signals are transmitted to the surface from two scratch-proof, rubber electrodes which target the exact location of a water leak.

Three separate scales assure accurate readings for each surface material. Simply select a scale, hold the Moisture Encounter moisture meter to the surface, and read directly from the meter. The unit weighs just 9 oz. with battery.

Combustion Gas Analyzer



Bacharach's Leakator 10 is a low maintenance combustible gas leak detection unit, small enough to be operated with just one hand, yet loaded with advanced features and technology professionals demand. Powered for up to 30 hours of continuous operation by alkaline C-cell batteries, Leakator 10 includes a flexible 20-inch long probe for hard-to-reach areas and a patented solid state sensor that will last for up to five years. Leakator 10 pinpoints large and small leaks quickly, while quickly checking a large area no calibration required.

Carbon Monoxide Detector



The Monoxor III's carbon monoxide detector's sleek new look and design makes it lightweight and easy-to-use, yet powerful, dependable and accurate. Identify potentially dangerous situations, or possibly expensive breakdowns, as this single-gas analyzer detects even the most minute CO levels. Locates carbon monoxide in ambient air and stack gases. AA batteries provide 24 hours continuous operation on the large, backlit LCD screen. Reduce mistakes & liability...the Monoxor III can record test CO levels and data can be printed using the optional infrared printer.

Multimeter



- Large display, multiple connection and voltage warnings, plus PC interface are ideal for training and technical schools
- Capacitance and diode functions useful for appliance installation and repair technicians
- DC functions, Duty Cycle and Capacitance for automotive and marine applications



Voltage Detector

Apply the plastic tip to any connection point or move it along an insulated cable, and the pen tip will illuminate bright red indication voltage present. This is the only product of its type that can be used by OSHA compliance officers.



Spot Light

The rechargeable Hot Spot Cordless Spotlight is 50% smaller and lighter than its big brother, the Superlight, and its 300,000 candlepower halogen lamp is virtually as bright. Provides approximately 20-25 minutes of continuous light. It's compact enough to store in a glove compartment, yet its beam reaches out hundreds of yards. Ideal for inspecting attics and garages.



Smoke in a Can

Smoke Detector Tester puts both photoelectric and ionization smoke detectors through their paces to ensure that their circuitry and alarm systems are functioning and that they are actively sampling the air for any hint of a fire. Our patented formulation of aerosol particles simulates the entire range of fire conditions giving you the confidence of knowing your fire alarm system will respond promptly to any kind of fire condition.



Telescopic Ladder

Extends from 30 inches to 12.5 ft.



360° Auto Laser Level

360° Laser line levels across and around rooms

Laser line automatically levels

Micro-Adjust tripod Extends to 5 FT in height and collapses to become a storage case

Detachable head hangs from strap is ideal for higher applications

Dual modes adjust laser line from 360° or 120°

Rubber overmold provides additional protection

Stinger®



Battery Nickel-cadmium 3.6 Volt, 1.8 amp hour, sub-C; rechargeable up to 1,000 times.

Bulb 3.7 Volt, 6 watt, xenon gas filled bi-pin; spare bulb in tail cap.

Material Machined aluminum housing anodized against corrosion inside and out; unbreakable polycarbonate lens.

Weight (with battery) 10 ounces

Length 7.4 inches

Run Time 1 hour of continuous use between chargers.

Candlepower* Up to 15,000

Special Features 100V, 120V, 230V or 240V AC, or 12V DC 10 hour charger or 2.5 hour "smart" fast charger available.